Dart Aerospace Ltd. Tuesday, 10/23/2007 3:10:33 PM Date Kim Johnston Heer **Process Sheet** : TUBE ASSEMBLY : CU-DAR001 Dart Helicopters Services **Drawing Name** Customer Job Number : 35324 **Estimate Number** : 11489 : D2003027 Part Number P.O. Number UNDER REVIEW : 10/23/2007 **Drawing Number** S.O. No. : This Issue : N/A Project Number Prsht Rev : NC **Drawing Revision** : B : 11 : SMALL /MED FAB First Issue Type : 28130 Material Previous Run : 11/15/2007 5 Um: **Due Date** Written By Checked & Approved By New Issue Comment **Additional Product** Job Number: Description: Seq. #: Machine Or Operation: M6061T6T0500W035 6061-T6 Tube .500 x.035W 1.0 Comment: Qtv.: 3.4997 f(s) 0.6999 f(s)/Unit Total: Material: 6061-T6 tubing Ø 0.500" x 0.035" wall (M6061T6T0.500W.035) Batch: <u>M 4692</u> SMALL & MEDIUM FAB RESOURCE 1 2.0 SMALL FAB Comment: SMALL & MEDIUM FAB RESOURCE 1 Form tube as per template D2003-027 QC5 INSPECT WORK TO CURRENT STEP 3.0 Comment: INSPECT WORK TO CURRENT STEP 4.0 M26506 Firesleeve-crkl .375IDia

Comment: Qty.: 3.1715 f(s) 0.6343 f(s)/Unit Total:

Firesleeve-crkl .500IDia

Part Number Description Qty Batch

Heat Sleeve MS208198D

Comment: Qty.: 2.1000 Each(s)/Unit Total: 10.5000 Each(s)

Pick:

Qty Part Number Description 2 MS20819-8D Sleeve

17 19099 (5)/m 13230 (5)

Each

Dart	: Ae	rosp	ace	Ltd :
------	------	------	-----	-------

W/O:		,	W	ORK ORDER CH	ANGES					
DATE	STEP	PRO	PROCEDURE CHANGE						Approval Chief Eng / Prod Mgr	Approval QC Inspector
	÷ :			. *						
									<u>.</u>	
			3							
				3						
Part No	•	PAR #:	Fault Cate	egory:	NC	R: Yes	No DQ	 A :	Date:	
									Date: _	
NCR:		1	WORK ORD	ER NON-CONFO	RMANCE	(NCF	R)			
D.4.T.F.	0.750	Description of NC		Corrective Action Section B			Verific	cation Approval	Approval	Approval
DATE	STEP	Section A	Initial Chief Eng	Action Descrip Chief Eng	tion	ion Sign & Date		& Section C		QC Inspector
	- *) a
		HS								
		8								
ŧ				i.						
			e p							
										,

NOTE: Date & initial all entries

Date: Tuesday, 10/23/2007 3:10:33 PM User: Kim Johnston **Process Sheet** Drawing Name: TUBE ASSEMBLY Customer: CU-DAR001 Dart Helicopters Services Job Number: 35324 Part Number: D2003027 Job Number: Description: Seq. #: Machine Or Operation: AN8188D Nut 6.0 Comment: Qtv.: 2.0000 Each(s)/Unit Total: 10.0000 Each(s) Pick: Part Number Description Batch Qtv M103154 AN818-8D SMALL & MEDIUM FAB RESOURCE 1 7.0 SMALL FAB 1 NFIRM THE FOLLOWING Comment: SMALL & MEDIUM FAB RESOURCE 1 MAKE PER TEMPLATE : Cut tube 738" long as per Dwg D2003 Cut Heat sleeve 7.25" long as per Dwg D2003 CUT LONGTO Install Red decal and heat shrink Assemble as per Dwg D2003 QC5 8.0 Comment: INSPECT WORK TO CURRENT STEP PACKAGING RESOURCE #1 9.0. PACKAGING 1 Comment: PACKAGING RESOURCE #1 Identify and Stock Location: 10.0 QC21 FINAL INSPECTION/W/O RELEASE Comment: FINAL INSPECTION/W/O RELEASE U St.(1-01 Job Completion

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES								12.		
DATE	STEP	PROCEDURE CHANGE					Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector	
			٠			3						
									3			

Part No:	PAR #:	Fault Category:	NCR: Yes No DQA:	Date:
			QA: N/C Closed:	Date:

NCR:		WORK ORDER NON-CONFORMANCE (NCR)												
		Description of NC		Corrective Action Section B		Verification	A							
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Approval Chief Eng	Approval QC Inspector						
					•									
					*									
				-										
				•			<u></u>							
				4										
			9	ŧ										

NOTE: Date & initial all entries





_	V								
DESIG	(J)	DRAWN BY	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA						
CHEC	KEP	APPROVED	DRAWING NO. REV. 8						
4	16	1 4	D2003 SHEET 1 OF 2						
DATE	,	, , , , , , , , , , , , , , , , , , , ,	TITLE SCALE						
99.0	06.08		206 CABIN HEATER TUBE ASSEMBLIES NTS						
Α		90.04.09	NEW ISSUE						
В		99.06.08	UPDATE PER TEMPLATES; ADD P/N'S; 0.025 TUBING NOW 0.035 (TSR1049)						

RELEASED 49.06.09 KED

UNDER RÉVIEW


HAVE PER TEMPLATE \$ 07,0.24


		HEATSLEEVE LENGTH¹	CUT LENGTH OF TUBE ²	MS20819-8J SLEEVE	AN818-8J NUT	MS20819-8D SLEEVE	AN818-8D NUT	MS20819-6D SLEEVE	AN818-6D NUT			
		ĒĀ	2.2	MS	S S	NS.	Na Na	MS.	Ž			VENDOR OR
P/N	TEMPLATE							ļ		DESC.	MATERIAL 4/8/7	SPEC
D2003-001	T2003-001	5.2	6.00					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-700/6
D2003-003	T2003-003	7.3	8.12	<u> </u>				2	2	TUBE ASS'Y	6061-T6 0,375 OD x 0.035 W	WW-T-700/6
D2003-005	T2003-005	9.8	10.62					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-700/6
D2003-007	T2003-007	20.0	19.63					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-700/6
D2003-009	T2003-009	12.38	12.44					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-700/6
D2003-011	T2003-011	33.3 <u>1</u>	32.38					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-700/6
D2003-013	T2003-013	12.7	13.54					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-700/6
D2003-015	T2003-015	17.2	18.00					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-700/6
D2003-017	T2003-017	17.0	16.25					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-700/6
D2003-019	T2003-019	9.8	10.62	L		2	2			TUBE ASS'Y	6061-T6 0.500 OD x 0.035 W	WW-T-700/6
D2003-021	T2003-021	N/A	2.25			2	2		`	TUBE ASS'Y	6061-T6 0.500 OD x 0.035 W	WW-T-700/6
D2003-023	T2003-023	4.5	5,33			2	2			TUBE ASS'Y	6061-T6 0.500 OD x 0.035 W	WW-T-700/6
D2003-025	T2003-025	9.8	10.60		0	2	2			TUBE ASS'Y	6061-T6 0.500 OD x 0.035 W	WW-T-700/6
D2003-027	T2003-027	7.25	(7.38)			2	2			TUBE ASS'Y	6061-T6 0.500 OD x 0.035 W	WW-T-700/6
D2003-029	T2003-029	17.2	18.00	C	1-10-	002	2		<i>'</i>	TUBE ASS'Y	6061-T6 0.500 OD x 0.035 W	WW-T-700/6
D2003-031	T2003-031	14.6	15.38	2	2			,		TUBE ASS'Y	CRES 0.500 OD x 0.035 W	AISI 304
D2003-033	T2003-033	29.75	29.62	2	2					TUBÉ ASS'Y	CRES 0.500 OD x 0.035 W	AISI 304
D2003-035	T2003-035	24.7	27.00	2	2					TUBE ASS'Y	CRES 0.500 OD x 0.035 W	AISI 304
D2003-037	T2003-037	24.81	23.38	2	2	,				TUBE ASS'Y	CRES 0.500 OD x 0.035 W	AISI 304
D2003-039	T2003-039	34.0	34.00	2	2					TUBE ASS'Y	CRES 0.500 OD x 0.035 W	AISI 304
D2003-041	T2003-041	6.0	5.88	2	2					TÜBE ÁSS'Y	CRES 0.500 OD x 0.035 W	AISI 304
D2003-043	T2003-043	11.7	10.75	2	2					TUBE ASS'Y	CRES 0.500 OD x 0.035 W	AISI 304
D2003-045	T2003-045	3.50	2.44	2	2					TUBE ASS'Y	CRES 0.500 OD x 0.035 W	AISI 304
D2003-047	Ť2003-047	5.56	5.56	2	2					TUBE ASS'Y	CRES 0.500 OD x 0.035 W	ÁISI 304
D2003-049	T2003-049	33.2	34.00	2	2					TUBE ASS'Y	CRES 0.500 OD x 0.035 W	AISI 304
D2003-077	T2003-077	N/A	6.25					1	1	JET	6061-T6 0.375 OD x 0.035 W	WW-T-700/6
D2003-101	T2003-101	13.25	13.13					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-600/6
D2003-103	T2003-103	12.38	12.00					2	2	TUBÉ ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-600/6
D2003-105	T2003-105	10.75	10.60	*				2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-600/6
D2003-107	T2003-107	12.75	12.25					2	2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-600/6
D2003-109	T2003-109	8.25	8.125			2	2			TUBE ASS'Y	6061-T6 0.500 OD x 0.035 W	WW-T-600/6
D2003-111	†2003- <u>111</u>	4.75	4.625			2`	2			TUBE ÁSS'Y	6061-T6 0.500 OD x 0.035 W	WW-T-600/6
D2003-116	T2003-116	4.0	.,							HEATSLEEVE	M2650-20 CRINKLE-SOFT	STRATOFLEX
D2003-120	T2003-120	4.0				OP C				HEATSLEEVE	M2650-16 CRINKLE-SOFT	STRATOFLEX
D2003-14	Ť2003-14	4.0				TUP)	JTO.			HEATSLEEVE	M2650-14 CRINKLE-SOFT	STRATOFLEX
D2003-16	T2003-16	4.0					וועומי			HEATSLEEVE	M2650-16 CRINKLE-SOFT	STRATOFLEX
D2003-205	T2003-205	9.75	9.60		EN	JINE	7,00	~ 2 5	y2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-700/6
D2003-207	T2003-207	3.75	3.75	1121	NO	RO)	LEL	2	_ 2	TUBE ASS'Y	6061-T6 0.375 OD x 0.035 W	WW-T-700/6
				0,,		TO	MEN	DNE				
1	'	1		1 54	Bill		C NO.	TCE				





DESIGN	DRAWN BY	—	OSPACE LTD ontario, canada
CHECKED	APAROVED	DRAWING NO.	REV. B
45	14	D2003	SHEET 2 OF 2
DATE		TITLE	SCALE
99.06.08		206 CABIN HEATER	TUBE ASSEMBLIES NTS





\$ 67.0.24

Notes:

- (1) USE STRATOFLEX M2650-6 CRINKLE-SOFT HEATSLEEVE.
- (2) TUBING ASSEMBLIES TO BE CUT AND BENT IN ACCORDANCE WITH TEMPLATES.
- (3) TUBES TO BE FLARED 30° TO MATE WITH FITTINGS MADE TO MS33514.
- (4) ENSURE SEAMLESS TUBING IS USED.
- (5) INSTALL HEATSLEEVE OVER ALL TUBES WITH A DESIGNATED LENGTH OF HEATSLEEVE PER THE PARTS LIST.
- (6) 5052 (WW-T-700/4) TUBING MAY BE SUBSTITUTED WHEN 6061 TUBING IS NOT AVAILABLE.
- (7) 0,049 WALL THICKNESS CRES TUBING MAY BE SUBSTITUTED WHEN 0.035 IS NOT AVAILABLE.
- (8) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED.

